

UiPath Activities Manual
SharePoint Custom Activities Package
-custom activities-

Table of Contents

Objective	4
Activities	4
1. SharePoint Activity Scope	4
1.1. Description.....	4
1.2. Parameters	4
1.3. Test Connection.....	5
2. SharePoint.Activities.Lists	6
2.1. AddListItem.....	6
2.2. Get List Items	10
2.3. DeleteListItems.....	13
2.4. UpdateListItems.....	13
2.5. AddListItemAttachments	14
2.6. GetListItemAttachments	16
2.7. DeleteListItemAttachments	16
3. SharePoint.Activities.Libraries	17
3.1. CreateFolder	18
3.2. Delete	18
3.3. Get Children Names	19
3.4. Get File	21
3.5. Upload File	22
3.6. Move Item.....	25
3.7. Rename Item.....	27
3.8. Check in File.....	27
3.9. Check out File.....	27
3.10. Discard check out	27
4. SharePoint.Activities.Users.....	28
4.1. Create Group.....	28
4.2. Delete Group.....	29
4.3. Add User to Group	29
4.4. Remove User From Group	30
4.5. Get User	30
4.6. Get All Users from Group	31
5. SharePoint.Activities.Permissions	32


5.1. Add Permission.....	33
5.2. Remove Permission	34
5.3. Get All Permissions	35
6. Sign Out	39
7. Get Web Login User	39
Query Grouping	40
Example	41
Prerequisites.....	42
Observations	42
Technical Approach.....	43

Objective

- Provide an integration between UiPath and SharePoint that permits the usage of the key functionalities of SharePoint that are most likely to be used in an automation.
- Allow document and folder management for Libraries.
- Allow CRUD functionalities on SharePoint Lists.
- Allow the creation/deletion of groups and the administration of the permissions assigned to them and of the users inside.
- Grouping the queries sent to the SharePoint server (whenever possible) so that we can do many requests in a relatively short amount of time.

Activities

1. SharePoint Activity Scope



1.1. Description

This activity will be used as a container for all the other activities in the package. Its main purpose is to perform the authentication with the SharePoint site and to organize the queries sent by the other SharePoint activities (whether they are grouped together, or they are sent individually).

1.2. Parameters

- **URL:** The URL of the SharePoint site where we want to perform all our queries
 - All the SharePoint activities contained inside will be executed at the level of this site

- **UserName & Password/SecurePassword:** The credentials that should be used to connect to the site (**If the account used does not have the necessary permissions, some of the activities will throw exceptions**).
 - We can now choose between providing the password either as a simple String or as a SecureString. It is required to set the value only for one of them.
 - No need to provide the credentials here when using WebLogin instance type, as the user will be prompted to introduce them and solve the extra authentication factors
- **SharePointInstanceType:** A choice between **OnPremises** and **Online** (default) and **WebLogin**(uses Sharepoint PnP, for MultiFactor Authentication).
 - Based on the type of SharePoint instance you have, choose the appropriate value.
 - For **Online** SharePoint, the http traffic is now decorated in order to handle throttling that might appear when performing too many requests too frequently.
 - For SharePoint sites that have **Multifactor Authentication** enabled, you should use **WebLogin**. It opens a popup form for the user to introduce their credentials and waits for the second authentication factor to be solved (for example: approving the sign in request sent in a Microsoft Authenticator app, or use a verification code from a mobile app, etc). It remembers the set credentials for a period of time, so the user won't have to enter them every time, unless they choose to (by selecting **ResetCredentials** parameter in the activity)
- **QueryGrouping:** Option which the user can enable in order to specify that all the SharePoint queries done inside this activity scope should be executed at the end
 - This option allows us to more efficiently execute many requests in a relatively short amount of time (For example if you want to add 100 new items to a list, you can group all the queries in order to achieve better performance)
 - **Observation!** Using this option will only let you use the following activities inside this Scope: **AddListItem**, **AddPermission**, **RemovePermission**, **AddUserToGroup**, **CreateGroup**, **DeleteGroup**, **RemoveUserFromGroup**.
- **LoginTimeout(milliseconds):** For **WebLogin**: the amount of time to wait for the user to enter the credentials and finish the Multifactor Authentication. The default is 300000(5 minutes). After this time, if the login is not performed, an exception will be thrown and the execution will end.
- **ResetCredentials:** For **WebLogin**: sign out the current user in order to enter new credentials (in case of MFA, the user might remain logged in for some time; if we need to log in a different user, we have to sign out the current one)
- **ClientContext:** an **out** argument of type Microsoft.SharePoint.Client.ClientContext that can be used to send requests to the SharePoint site in **Invoke Code** or **Invoke Method** activities.

1.3. Test Connection

A new button was added to the SharePoint Application Scope activity, that can be used to test the connection to your SharePoint site before runtime. The button opens the “**SharePoint Connection Test**” form in which the user needs to enter the credentials that they would use to

connect to SharePoint. The form opens with the default values for the fields completed from the Activity's settings.

Depending on the chosen Instance Type, the fields to complete differ:

- for **WebLogin**: Reset Credentials can be selected and the LoginTimeout can be set (no need for Username and Password to be set here, as the user will have to introduce them)
- for **Online** and **OnPremises**: Username and Password

The SharePoint URL is mandatory regardless of the SP Instance Type

Observation! You cannot use variables in the fields here, as we are not at runtime and their value cannot be computed

2. SharePoint.Activities.Lists

A set of activities which provide the basic CRUD functionality for a SharePoint List:

- `AddListItem`
- `GetListItems`
- `DeleteListItems`
- `UpdateListItems`
- `AddListItemAttachments`
- `GetListItemAttachments`
- `DeleteListItemAttachments`

2.1. `AddListItem`

This activity adds a **single** item to a SharePoint List located on the SharePoint Site specified in the parent SharePoint Scope Activity. Since adding items to a list can be a repetitive task, this activity can be used together with the **QueryGrouping** feature, in order to improve performance.

2.1.1. *Parameters*

- **ListName:** The name of the SharePoint List where we want to add the item
- **PropertiesToAdd:** A `Dictionary<string, object>` object which should contain the values this list item should have. For each element in the dictionary, the **Key** is a string which represents the internal name a field has inside the SharePoint list and the **Value** is an object representing the actual value the newly added item will have inside that field.
- **AddedItemID:** An **out** argument representing the ID of the newly added item.

- **If the QueryGrouping option is enabled, this argument will be null!**

2.1.2. *Example*

A SharePoint List can have a multitude of data types so adding an item inside a list that makes use of all these data types can be challenging. In order to understand how we can do it, let's try to add an item to the following list:

TestList

[+ new item](#) or [edit this list](#)

All Items	...	Find an item	🔍
✓	>Title	TestNumber	TestChoice
	Radu	... 232	Choice3

TestPerson TestDateTime TestLookup TestLookup:Title TestYesNo TestLink

TestPerson: Adele Vance 12/20/2018 1 Test Lookup Item 1 No <https://sharepoint>

Now, let's take a closer look at my list fields:

Inside TestList we have the following data types

Columns

A column stores information about each item in the list. The following columns are currently available in this list:

Column (click to edit)	Type	Required
Title	Single line of text	✓
TestNumber	Number	
TestChoice	Choice	
TestPerson	Person or Group	
TestDateTime	Date and Time	
TestLookup	Lookup	
TestLookup:Title	Lookup	
TestYesNo	Yes/No	
TestLink	Hyperlink or Picture	

This is a detailed explanation for all of them

- **Title** is of type **Text**, so it is basically a plain string
- **TestNumber** is a field of type **Number**, so in order to add a value here we will use an Int or a double value
- **TestChoice** is of type **Choice**, so it is basically a string picked out of a predetermined set of values. If you go to your list's settings and open the field, you will find the options there. In my case, they are:

Type each choice on a separate line:

Choice1
Choice2
Choice3


- **TestPerson** is a column which simply hold a reference to a person, so we can set it using the Persons ID and a **Microsoft.SharePoint.Client.FieldUserValue**. The ID can be obtained using the **GetUserInformation** activity in this package.
- **TestDateTime** is of type **Date and Time**, so we can add a value here by simply passing a datetime formated as a string
- **TestLookup** is of type **Lookup** which is basically the way in which SharePoint implements associations (one-to-one, one-to-many and even many-to-many) between items in different lists. In order to add a value here, we have to pass the **ID** of the item we want to reference in one of the following two ways:
 - either by wrapping it inside a **Microsoft.SharePoint.Client.FieldLookupValue** object like in the sample bellow
 - or by setting the value of the field to a simple string in this format: "ID of the lookup";#"Title of the Lookup" (for example: "1;#Title" => takes the value of the column "Title" from the item with ID = 1.)

Just go to the list your lookup column is connected to and get the ID of the list item you want to be linked to

- **TestLookup:Title** is secondary column that is configured to automatically display the title of the value being referenced in the primary lookup column. **So no need to set a value here!**
- **TestYesNo** is basically a boolean value, so we can set it by passing either true or false
- **TestLink** is a Hyperlink so we can set a value to this field by simply passing an url as a string

In order to add a new item here, I will use the Add List Item activity in the following manner:

SharePoint Custom Activities Package



```
PropertiesToAdd (Dictionary<String, Object>)
New Dictionary(Of String, Object) From {{ "Title", "This is a new item!" },
{ "TestNumber", 222 },
{ "TestChoice", "Choice2" },
{ "TestPerson", New Microsoft.SharePoint.Client.FieldUserValue() With { .LookupId = 37 } },
{ "TestYesNo", False },
{ "TestDateTime", DateTime.Now },
{ "TestLookup", New Microsoft.SharePoint.Client.FieldLookupValue() With { .LookupId = 1 } },
{ "TestLink", "https://sharepoint.stackexchange.com" }
}
```


(Note that the value for **TestLookup** can also be set like this: `{"TestLookup", "1;#Title"}`)

After this workflow is executed, the following item appears in my List:

<input type="checkbox"/>	This is a new item! *	...	222	Choice2	<input type="checkbox"/> Adele Vance	1/28/2019	1	Secondary Item 1	No	https://sharepoint.stackexchange.com
--------------------------	-----------------------------	-----	-----	---------	--------------------------------------	-----------	---	---------------------	----	---

Observation!

One important thing to keep in mind is that in order to reference these fields, we must use their **Internal Name**, not their title (often enough, they are not the same). In order to obtain the internal name of a field open the list settings, click the field and look at the URL of the page, the internal name will be there:



2.2. Get List Items

The **ReadListItems** activity has been renamed to **Get List Items** in the newest versions. This is an activity which uses the Collaborative Application Markup Language (**CAML** for short) to get a set of items from a SharePoint list, filtered on certain criteria.

CAML is complex but it is specifically designed for SharePoint so this means that we can create very powerful and precise queries. Furthermore, we can create these queries using 3rd party tools that generate CAML automatically, so there's no need to be an expert in order to use this activity. A good example of such a tool is SmartCAML, which is free in the Windows store: <https://www.microsoft.com/en-us/p/smartsaml/9nn8gjpnxvfg>. If you want to learn CAML the hard way, you can check it out here: <https://docs.microsoft.com/en-us/sharepoint/dev/schema/introduction-to-collaborative-application-markup-language-caml>.

This activity cannot be used with the Query Grouping feature enabled on the parent SharePoint Scope.

2.2.1. Parameters

- **ListName:** The name of the SharePoint List where we want to read items from
- **CAMLQuery:** a string containing a valid CAML query that will be used to filter the specified list
- **Items(Dictionary Array):** An **out** argument which will contain the returned items filtered using the CAMLQuery. It will be an array of **Dictionary<string, object>** objects.
- **Items(DataTable):** An **out** argument which will contain the returned items filtered using the CAMLQuery, in a **DataTable** object, for an easier read of the returned items.

Note! We have created the Dictionary to Table extension method for **Dictionary<string, object>[]: ToDataTable**, so by installing this package you have access to the method that can **convert any array of (String, Object) Dictionary to a DataTable**. :

```
public static DataTable ToDataTable( this Dictionary<string, object>[] dictionary )
```

2.2.2. Example

Let's take the same list that we used for the Create List Item example and try to read some of its items.

My list currently looks like this:

TestList

⊕ new item or edit this list

All Items									
	Title	TestNumber	TestChoice	TestPerson	TestDateTime	TestLookup	TestLookup:Title	TestYesNo	TestLink
✓	This is an old item	232	Choice2	Lee Gu	12/20/2018	1	Secondary Item 1	Yes	https://docs.microsoft.com
✓	This is a new item! ✎	222	Choice2	Adele Vance	1/28/2019	1	Secondary Item 1	No	
✓	Another new item! ✎	222	Choice2	Adele Vance	1/29/2019	1	Secondary Item 1	No	https://sharepoint.stackexchange.com

Let's say that I want to extract all the items whose **Title** contain "new" and their **TestChoice** field contains "Choice2". I will use my SmartCAML (<https://www.microsoft.com/en-us/p/smartercaml/9nn8gjpnxvfg>) to quickly create these filtering options and then transfer them to my SharePoint activity:

Query Configurations in SmartCAML

Site Assets TestList X

Designer XML

And TestChoice Equal Choice2

And Title Contains new


[+ add condition](#)

[+ add order by](#)

Resulting XML Query

```
<Query>
<Where>
<And>
<Eq>
<FieldRef Name="TestChoice" />
<Value Type="Choice">Choice2</Value>
</Eq>
<Contains>
<FieldRef Name="Title" />
<Value Type="Text">new</Value>
</Contains>
</And>
</Where>
</Query>
```

My query added to my Read List Items activity




The screenshot shows the SharePoint Designer Expression Editor. At the top, there is a 'Read list items' activity with the 'List Internal Name' set to 'TestList'. Below it, the 'CAMLQuery (String)' field contains the following XML:

```


<Query>
<Where>
<And>
<Eq><FieldRef Name='TestChoice' /><Value Type='Choice'>Choice2</Value>
<Contains><FieldRef Name='Title' /><Value Type='Text'>new</Value>
</And>
</Where>
</Query>

```

I'll also add a ForEach to loop through all the results and a Writeline activity that will write the information from each item to the Output:



The screenshot shows a SharePoint workflow. It starts with a 'Read list items' activity, which has the 'List Internal Name' set to 'TestList'. This is followed by a 'ForEach' loop. The 'ForEach' activity has 'item' as the variable name and 'ResultedItems' as the collection. Inside the 'Body' of the 'ForEach' loop is a 'Write Line' activity. The 'Text' field of the 'Write Line' activity contains the expression: "This item has the title: " + item.



The output will be from the above flow will be:

- ① This item has the title: This is a new item! and it was created on19-01-28 by AdeleV@M3
- ② This item has the title: Another new item! and it was created on19-01-29 by AdeleV@M3

2.3. DeleteListItems

This is an activity which uses the Collaborative Application Markup Language (**CAML** for short) to delete a set of items from a SharePoint list, filtered on certain criteria. This activity cannot be used with the Query Grouping feature enabled on the parent SharePoint Scope.

For an example on how to use a CAML query, read section 2.2 of this document.

2.3.1. Parameters

- **ListName:** The name of the SharePoint List where we want to delete items from
- **CAMLQuery:** a string containing a valid CAML query that will be used to filter the specified list and retrieve the items that need to be deleted.
- **AddedItemID:** An **out** argument representing the ID of the newly added item.
 - **If the QueryGrouping option is enabled, this argument will be null!**
- **NumberOfRowsAffected:** An **out** argument of type **Int32** which will contain the number of items deleted using the CAMLQuery.

2.4. UpdateListItems

This is an activity which uses the Collaborative Application Markup Language (**CAML** for short) to select a set of items from a SharePoint list, filtered on certain criteria and then update some of their fields using a dictionary containing all the properties to modify. This activity cannot be used with the Query Grouping feature enabled on the parent SharePoint Scope.

2.4.1. Parameters

- **ListName:** The name of the SharePoint List where we want to update the items
- **CAMLQuery:** a string containing a valid CAML query that will be used to filter the specified list and retrieve the items that need to be updated.
- **PropertiesToAdd:** A **Dictionary<string, object>** object which should contain the values we want to update. For each element in the dictionary, the **Key** is a string which

represents the internal name a field has inside the SharePoint list and the **Value** is an object representing the actual value we will use to update the items.

- **AddedItemID:** An **out** argument representing the ID of the newly added item.
 - **If the QueryGrouping option is enabled, this argument will be null!**
- **NumberOfRowsAffected:** An **out** argument of type **Int32** which will contain the number of items updated using the CAMLQuery.

2.4.2. Example

Let's take the same list that we used for the previous 2 examples and try to update some its items and let's assume that I want to **change the Title of all the items that were created on January the 28th, 2019**. In this case, I will use the **Created** field (this is a field that is managed internally by SharePoint which contains the date on which the item was created and which is added automatically to all the Lists) to create the following CAML query:

CAML Query

```
"<Query><Where><And>" +
"<Geq><FieldRef Name='Created' /><Value Type='DateTime'>2019-01-
28T00:00:00</Value></Geq>" +
"<Leq><FieldRef Name='Created' /><Value Type='DateTime'>2019-01-
28T23:59:59</Value></Leq>" +
"</And></Where></Query>"

//basically, I want all the items older than 2019-01-28T23:59:59 and newer
than 2019-01-28T00:00:00.
```

Since I want to update the title, I will use the following dictionary for the **PropertiesToAdd** dictionary:

CAML Query

```
New Dictionary(Of String, Object) From {{ "Title", "This item is now old." }}
```

Now, all the items from Created on that day will have the title: "This item is now old."

2.5. AddListItemAttachments

This is an activity that adds one or multiple attachments to a specified SharePoint list item

2.5.1. Parameters

1. **ListName:** The name of the SharePoint List for which item we want to add the attachments
2. **ListItemID:** An argument of type **Int** which should contain the ID of the item for which we want to add the attachments
3. **Attachments:** Opens the argument editor dialog, which allows us to enter the full paths of the attachments, one by one
 - **AttachmentsCollection:** An argument of type **IEnumerable<String>** which contains the array of strings corresponding to the full paths of the attachments


Observation

SharePoint Custom Activities Package

We can mention attachments names both in Attachments and AttachmentsCollection and they will all be added

2.5.2. Examples

Let's try to add some files as attachments to the first item in "DianaList" in SharePoint.




We have to set the ListItemID to 1 (for the first item in the List).

The **AttachmentsCollection** parameter is set to a `String[]` variable. Note the strings used to initialize it: they contain the path and the full name of the files to attach:


Name	Variable type	Scope	Default
password	SecureString	Sequence	Enter a VB expression
Username	String	Sequence	Enter a VB expression
Attachments	String[]	Sequence	["C:\Users\diana.mincu\Desktop\Capture.PNG", "C:\Users\diana.mincu\Desktop\AMS_SC_Inputs_201801.xlsx"]
Create Variable			

In the Arguments Editor dialog that is opened through the Arguments parameter, we specify one more file :



Run the workflow and notice the Attachments Properties of the List Item, before and after the Add:

Before	After
--------	-------



2.6. GetListItemAttachments

This is an activity which gets the attachment names from a SharePoint list item.

2.6.1. Parameters

- **ListName:** The name of the SharePoint List where we want to update the items
- **ListItemId:** An argument of type **Int** which should contain the ID of the item for which we want to retrieve the Attachment Names.
- **AttachmentNames:** An OutArgument of type **string[]**. Which contains the file names of all the attachments of the current item

Observation

In order to download the attachments, use the **Get File** activity and the following URL: **/Lists/{ListName}/Attachments/{Item ID}/{Attachment name}**

2.7. DeleteListItemAttachments

This is an activity which deletes one or multiple attachments from a SharePoint list item.

2.7.1. Parameters

- **ListName:** The name of the SharePoint List for which item we want to delete the attachments
- **ListItemId:** An argument of type **Int** which should contain the ID of the item for which we want to delete the attachments
- **Attachments:** Opens the argument editor dialog, which allows us to enter the names of the attachments as they are found in SharePoint, one by one
- **AttachmentsCollection:** An argument of type **IEnumerable<String>** which contains the array of strings corresponding to the names of the attachments as they are found in SharePoint
- **DeletedAttachmentsNr:** An **out** argument that returns the number of deleted attachments

Observation

We can mention attachments names both in **Attachments** and **AttachmentsCollection** and they will all be deleted

3. SharePoint.Activities.Libraries

A set of activities which can be used for basic operations on files and folders in a SharePoint Library:

- CreateFolder
- Delete
- GetChildrenNames
- GetFile
- UploadFile
- MoveItem
- RenameItem
- Check In File
- Check Out File
- Discard check out

These activities provide a way of handling files and folders inside a specific SharePoint Site. Generally, we can reference these files and folders by using their relative URL.

These activities are not compatible with the **QueryGrouping** feature; therefore, they cannot be used if this feature is enabled in their SharePoint Scope.

Determining the Relative URL of a resource inside a library

In order to use these activities, we need to determine the relative path of the libraries, folders and files we want to use. Usually these paths have the following format:

/{relative site url}{library}{folder path inside the library}{file name} (the relative site url is optional)

OR

/library{folder path inside the library}{file name} if our site is the root of the site collection


For the **relative site URL** and the **library** part you should navigate to the library page in SharePoint and check the URL:

sharepoint.com/sales/Sales%20Documents/

That means that the URL for the library is: **/sales/Sales Documents/** (the relative site url is optional)

The **folder Path** can be easily calculated by concatenating the names of all the folder containing our target, starting from the top-most container and going all the way to the direct parent of our current target and simply adding "/" between them.

Also, the path of a document/folder can be retrieved by expanding its menu and copying the link and selecting the relative url (from the "<sharepoint.com/>" until the "?" and decoding it)



So, for the above example, I will get the URL: **/sales/Sales Documents/Intro.docx**, if I remove the optional relative site url, I get **/Sales Documents/Intro.docx**.

3.1. CreateFolder

This activity adds a new folder in a library, at the specified path. It creates nested folders as well.

3.1.1. Parameters

- **LibraryName:** the name of the Library in which the folder will be created
- **RelativeUrl:** the url relative to the Library of the new folder. If one folder in the specified URL doesn't exist, the activity creates it.

3.2. Delete

The activity can be used to delete any file or folder in a Library.

3.2.1. Parameters


- **Library name:** The name of the library where the resource we want to delete is located
- **RelativeUrl:** The relative URL of the file/folder that will be deleted (**relative to the library**)

3.2.2. Example


The sample below will delete the "Samples.docx" file from the root folder of the "**Documents**" Library.

Here's the document:

Documents



And this is the code:



The Item URL relative to the library would be: "**Samples.docx**"

3.3. Get Children Names

The activity returns an array containing the **direct** children names (both folders and files) of a specified folder.


3.3.1. Parameters

- **RelativeUrl:** The relative URL of the parent folder
- **ChildrenNames:** an **OUT** argument of type **String[]** with the children names

3.3.2. Examples


Suppose we need a list with all direct children of a specific folder in our library **Sales Documents**.

The snippet bellow should do the trick. It will provide us with all the names of the items found in the root folder of the "**Sales Documents**" library:



We have to create a **String[]** variable (in this case **salesDocumentsNames**) which will be the output of our activity (as shown in the Properties panel) and will store the array of children names.

Library folder structure	Activity output
--------------------------	-----------------



The screenshot shows a SharePoint library named 'Sales Documents'. The library contains three items: 'Closed Deals', 'Sales Offers', and 'Intro.docx'. The 'Intro.docx' file was uploaded 'A few seconds ago' by 'MOD Administra'. The library interface includes buttons for 'New', 'Upload', 'Sync', 'Share', and 'More', and a search bar.

① Found item: Sales Offers
① Found item: Closed Deals
① Found item: Intro.docx

3.4. Get File

An activity that downloads a file from a specified URL into the mentioned local path.


3.4.1. Parameters

- **LocalPath:** Local path where the file will be saved. If it doesn't contain the name that the file will have locally, the name the file has on SharePoint will be used
- **RelativeUrl:** The relative URL of the file which will be saved

3.4.2. Example

Here is a sample of using the GetFile activity to download the "Expenses.xlsx" file from the "TestFolder" folder of the Documents library.

The snippet that does this job it would be:



The SharePoint Item URL is: **"/Shared Documents/TestFolder/Expenses.xlsx"**. The local path is my Downloads folder.

From SharePoint:

Documents ▶ TestFolder



Into the local path:



3.5. Upload File

An activity that uploads a file at a specified URL in a Library, from the mentioned local path and adds a set of field values to it.

This will upload the file in the exact path specified in the Item Url. If we don't specify the name the file will have in SharePoint, it will be given the name it initially had locally.

3.5.1. Parameters

- **LocalPath:** The current local path and name of the file to upload
- **RelativeUrl:** The relative URL where the file will be uploaded and its name
- **PropertiesToAdd:** An argument of type **Dictionary<string, object>** that represents a collection of values to be added to the field values of the library for the newly added document. For each element in the dictionary, the **Key** is a string which represents the internal name a field has inside the SharePoint list and the **Value** is an object representing the actual value the newly added document will have inside that field.
- **AllowOverwrite:** Checkbox which specifies whether or not we should let the robot override an existing file with the same Relative URL. Enabled by Default.
- **CheckOutFileBeforeOverwrite:** If there's already a file with the same name at the specified SharePoint location, having this checkbox checked will tell the activity to first check out the file before we overwrite it. Otherwise, no effect.
- **CheckInFileAfterCreation:** If this checkbox is checked, then the robot will attempt to check in the file after it has been uploaded to the server. If the file is not checked out after the upload, no effect

Require Check Out


Specify whether users must check out documents before making changes in this document library.
[Learn about requiring check out.](#)

Require documents to be checked out before they can be edited?

Yes No

Observations:

- If an in-depth example is needed on how to add metadata to a Library Item, check the example provided for the **Add List Item** activity.
- If the metadata needs to be edited the **Update List Items** Activity can be used!
- The **"Require Check Out"** option (located in the Versioning Section of the Library Settings) will not let users modify files unless they are checked out. Additionally, because of this option, any new files uploaded to be checked out by default. In order to mitigate this setting, you can enable the properties: **CheckInFileAfterCreation** and **CheckOutFileBeforeOverwrite**



- **CheckInFileAfterCreation** and **CheckOutFileBeforeOverwrite** will cause one extra query to be made, so the activity will be a bit slower. Do not use them unless necessary.

3.5.2. Example

Let's assume that my Documents library has a text field called **Additional Info** and another field called **Responsible** where the current person that is responsible for the document is added:

Documents

...	Name	Modified	Modified By	Responsible	Additional Info
✓	TestFolder	... Yesterday at 2:36 AM	MOD Administrator		
	Advanced+Developer's+guide	... Yesterday at 5:12 AM	MOD Administrator		
	Expenses	... Yesterday at 10:41 AM	MOD Administrator		


Let's try to upload a file called ExportedContractsTable.xlsx to the test folder of the Documents Library. When we upload the document to this library, we would like to add values to both fields filled with values, so we will add the values to the **PropertiesToAdd** dictionary:

Properties Dictionary

```
/* the FieldUserValue is initialized with the ID of the user*/
New Dictionary(Of String, Object) From {
{ "Additional_x0020_Info", "This is a short summary of the document" },
{ "Responsible", New Microsoft.SharePoint.Client.FieldUserValue() With {
    .LookupId = 37 } }
}
```

SharePoint Custom Activities Package

The snippets that uploads the file will look something like this:



The Item URL is: **"/Shared Documents/TestFolder"**

The result will be:

Documents › TestFolder

A screenshot of a SharePoint document library named 'All Documents'. The library interface includes buttons for 'New', 'Upload', 'Sync', 'Share', and 'More'. A search bar at the top right says 'Find a file'. Below the search bar, there are columns for 'Name', 'Modified', 'Modified By', 'Responsible', and 'Additional Info'. Two files are listed: 'Expenses.xlsx' (modified yesterday at 10:42 AM by MOD Administrator) and 'ExportedContractsTable.xlsx' (modified a few seconds ago by MOD Administrator, with a note: 'Adele Vance This is a short summary of the document').

3.6. Move Item

An activity that moves a file or folder from a specified URL in a Library, to another URL, either in the same Library or another one.

In the case of folders, they will be moved along with all their contents.

3.6.1. Parameters


- **RelativeUrl:** The relative URL of the file/folder that will be moved
- **DestinationRelativeUrl:** The relative URL of the Folder/library where the file/folder will be moved
- **AllowOverwrite:** Checkbox which specifies whether or not we should let the robot override a file with the same name already located at the Destination URL. Enabled by Default.

3.6.2. Example

Let's assume that inside my Sales site I want to move the **Sales Related Documents** folder from the **Documents** library to the **Miscellaneous** folder inside the **Sales Documents** library.

Folder to be moved:


Documents



✓	Name	Modified	Modified By	Responsible	Additional Info
	Sales Related Documents	... A few seconds ago	MOD Administrator		
	TestFolder	... Yesterday at 2:36 AM	MOD Administrator		
	Advanced+Developer's+guide	... Yesterday at 5:12 AM	MOD Administrator		
	Expenses	... Yesterday at 10:41 AM	MOD Administrator		


Destination:

Sales Documents ▶ Miscellaneous



✓	Name	Modified	Modified By
Drag files here to upload			

The snippet of code that achieves this:



The Source URL: **//Shared Documents/Sales Related Documents** and the Destination URL: **/Sales Documents/Miscellaneous**.

Result:

Sales Documents › Miscellaneous



The screenshot shows a SharePoint library interface. At the top, there are buttons for 'New', 'Upload', 'Sync', 'Share', and 'More'. Below the buttons is a search bar with the placeholder 'Find a file' and a magnifying glass icon. The main area shows a list of items. The first item is a folder named 'Sales Related Documents'. The list includes columns for 'Name', 'Modified', and 'Modified By'. The 'Sales Related Documents' folder was modified 'A few seconds ago' by 'MOD Administrator'. There are also 'All Documents' and '...' buttons.

3.7. Rename Item

An activity that changes the name of a file or folder from a specified URL in a Library.

3.7.1. Parameters

- **RelativeUrl:** The relative URL of the file/folder that will be renamed.
- **NewName:** The new name of the file/folder

3.8. Check in File

An activity that checks in a file from a specified URL. If the file is not checked out, nothing happens.

3.8.1. Parameters

- **RelativeUrl:** The relative URL of the file

3.9. Check out File

An activity that checks out a file from a specified URL. If the file is already checked out, an exception will occur.

3.9.1. Parameters

- **RelativeUrl:** The relative URL of the file

3.10. Discard check out

An activity that discards the check out of a file from a specified URL. If the file is not checked out, an exception will occur.

3.10.1. Parameters

- **RelativeUrl:** The relative URL of the file

4. SharePoint.Activities.Users

Groups are very important in SharePoint, they can be given permissions to read/edit/create/delete certain items, folders, lists libraries and even sites. They also have secondary purposes, serving as mailing lists, etc. SharePoint Groups can contain users and even AD groups, thus making managing permissions through groups very easy.

To check the current groups your Site has and their members, you should click the "Users and Groups" link inside the **Site Settings**:



Users and Permissions

People and groups

Site permissions

Site collection administrators

Site collection admin

This package contains a set of activities which can be used in order to create and delete user groups, as well as add and/or remove users from them:

- AddUsersToGroup
- CreateUserGroup
- RemoveGroup
- RemoveUserFromGroup
- GetUser
- GetAllUsersInsideGroup

All these activities can be used together with the **QueryGrouping** feature, except **GetAllUsersFromGroup** and **GetUserInformation**.

4.1. Create Group

This is an activity that creates a group on the site referenced by the SharePoint Application Scope.

4.1.1. Parameters

- **GroupName:** The name of the group we're about to create
- **GroupDescription:** A description for the group

4.2. Delete Group

Deletes one of the groups on your SharePoint Site.

4.2.1. Parameters

- **GroupName:** The name of the group we're about to delete

4.3. Add User to Group

Adds a user to a specific group. This also works with AD groups since in SharePoint they are pretty much treated just like users are.

4.3.1. Parameters


- **GroupName:** The name of the group we're adding the user to
- **User:** The users email or "{domain}\{username}" or the name of an AD Group

4.3.2. Example

Let's assume we want to create a group and add 2 users to it, a regular user, which we will reference using their email address and an AD Group called **Everyone**.

We will add the regular user to the group by referencing their email address and the AD group by using its name (which in this case is **Everyone**).

This example would look like this:



After the code above is executed on the groups page, we can find the following group:

Everyone except external users	
Excel Services Viewers	
<u>Managers</u>	

Inside, we can find the following users:

People and Groups › Managers 

		Name	About me	Title	Department
		Adele Vance	I have been with Contoso for five years, starting as marketing assistant and moving up to supervisory positions. I am currently Retail Manager for our latest line of high-end digital SLR cameras for the professional market. I'm excited about the opportunity to introduce these cutting-edge products to the market. We have a great team ready to go!	Retail Manager	Retail Manager
		Everyone except external users			

4.4. Remove User From Group

Removes a user from a specific group. This also works for removing AD groups from inside SharePoint groups. It is very similar to the **Add User to Group** activity.

An exception will be thrown if this activity tries to remove a user that is not part of the group.

4.4.1. Parameters

- **GroupName:** The name of the group we're removing the user from
- **User:** The users email or "{domain}\{username}" or the name of an AD Group that needs to be removed from this group

4.5. Get User

This activity helps you search for a user in SharePoint and returns the users ID and full details. It searches the user by either the email or the display name of the user.

This activity returns an exception if more than one user is found or if the search has 0 results. **It is recommended that users are searched by email address, this is far more reliable as their First Name + Last Name combination might not be unique.**

4.5.1. Parameters

- **User:** The email/name the user will be searched by.

- **SharePointUser:** An **out** argument of type **Microsoft.SharePoint.Client.User** containing all the details of the user
- **UserID:** An **out** argument of type **int** containing the ID of the found user

4.6. Get All Users from Group

This activity allows you to get a list with all the users inside a SharePoint group. This is useful whenever we want to add/remove users to a group, since it can help us reduce the number of unnecessary queries done as well as preventing exceptions (since trying to remove a user which does not exist in a group can cause exceptions).

Using the `GetAllUsersFromGroup` activity will also give us all the relevant information about the users themselves.

This operation cannot be used if the `QueryGrouping` feature is enabled.

4.6.1. Parameters

- **GroupName:** A string containing the name of the group we want to retrieve the users for
- **Result:** An **out** argument of type **List<Microsoft.SharePoint.Client.User>** containing all the users inside this group

4.6.2. Example

Let's assume I want to display to the console all the members of the **Sales** group inside my Site Collection.


If I navigate to the group's page, I will see the following members:

People and Groups ▶ Sales


<input type="checkbox"/>	<input type="checkbox"/> Name	Title
<input type="checkbox"/>	<input type="checkbox"/> Christie Cline	Buy
<input type="checkbox"/>	<input type="checkbox"/> Adele Vance	Ret
<input type="checkbox"/>	<input type="checkbox"/> Lee Gu	Dir.

A workflow that retrieves the information of all these users from SharePoint and that displays it to the console, would look like this:

SharePoint Custom Activities Package



The Write line would retrieve the user information in the following manner:



The result inside the console would be:

- ① The user's ID is 37; The user email is:AdeleV@m365x475056.OnMicrosoft.com and the full login name is i:0#.f|membership|adelev@m365x475056.onmicrosoft.com
- ② The user's ID is 28; The user email is:ChristieC@m365x475056.OnMicrosoft.com and the full login name is i:0#.f|membership|christieC@m365x475056.onmicrosoft.com
- ③ The user's ID is 61; The user email is:LeeG@m365x475056.OnMicrosoft.com and the full login name is i:0#.f|membership|leeg@m365x475056.onmicrosoft.com

5. SharePoint.Activities.Permissions

In order to provide access to our SharePoint content, we can assign permissions to groups or individual users at site, list/library, folder (or even item) level.

With our activities we can use all the permission levels SharePoint has:

- View Only
- Limited Access
- Read
- Contribute
- Edit
- Design
- Full Control

The following activities allow adding and removing permissions for:

- the SharePoint site itself
- a list
- a library
- or any folder inside a list/library

This is a set of activities which can be used in order to add and/or remove the permissions a group or an user has **in relation to a list or library or the current site**:

- AddPermission
- RemovePermission
- GetAllPermissionsFromGroup

5.1. Add Permission

Adds a permission to specific group or user. This activity is compatible with the **QueryGrouping** option.

5.1.1. Parameters

- **User/Group:** the name of the user or group we want to assign permissions to.
- **Is User:** Select it if the assignee is a user and not a group
- **PermissionToGive:** a dropdown that allows the user to select the permission level.
- **ListName:** the name of the list/library we want to assign permissions to. **If this is left empty, the permissions will be assigned to the SharePoint Site instead**
- **ListType:** this parameter needs to be used only when interacting with the permissions of a folder inside either a list or a library. It should be set to "Library" or "List" depending on the type of SharePoint collection we want to interact with.
- **FolderPath:** the folder inside the list/library we want to assign permissions to. **If this is left empty, the permissions will be assigned directly to the list/library.**
 - This property can be used only if the ListName is not null


Observation:

SharePoint Online does not allow altering the permissions of the root site of a site collection, only the sub-sites can have their permissions changed. **Trying to either remove or add permissions to the root site of a site collection will result in an exception!**

5.1.2. Example

Let's assume that I have a sub-site in my SharePoint collection dedicated to the Sales team, a group named **Sales** which contains all the Sales Department employees and that I need to give them full control on that site.

I can do that very easily using the following workflow:



Notice that the List parameter is empty since the permissions are applied directly to the site. After I open the site's permission page, I will notice the following row:

<input type="checkbox"/>	<input type="checkbox"/>	Sales	SharePoint Group	Full Control
--------------------------	--------------------------	--------------	------------------	--------------

5.2. Remove Permission

Remove all permissions a group or user has in relation to another list/library, its folder or even the SharePoint site.

This activity is compatible with the **QueryGrouping** option enabled.

5.2.1. Parameters


- **User/Group:** the name of the user or group we want to remove permissions for.
- **Is User:** Select it if the deposited is an user and not a group
- **ListName:** the name of the list/library we want to delete permissions from. **If this is left empty, the permissions will be removed from the SharePoint Site instead**

- **ListType:** this parameter needs to be used only when interacting with the permissions of a folder inside either a list or a library. It should be set to "Library" or "List" depending on the type of SharePoint collection we want to interact with.
- **FolderPath:** the folder inside the list/library we want to delete permissions from. **If this is left empty, the permissions will be removed directly from the list/library.**
 - This property can be used only if the ListName is not null

5.2.2. Example

Let's assume that I have a list called **TestList** where I have a folder **Sales Items** that we do not want to be accessible/visible to the users in the groups **Team Site Users** and **Teams Site Visitors**. We can achieve that by simply removing the permissions these 2 groups have on that folder.

The workflow that does this would look something like this:



Note that both the Remove Permission activities reference the Sales Items folder in their **FolderPath** argument:

FolderPath	"Sales Items"
GroupName	"Team Site Visitors"
ListName	"TestList"

5.3. Get All Permissions

Gets all existing permissions a list/library, folder or even SharePoint Site has. This is very helpful if the user is trying to either add or remove any permissions in a SharePoint site, since it

can help us reduce the number of unnecessary queries done as well as preventing exceptions (since trying to remove a permission which does not exist for a group can cause exceptions).

This activity is not compatible with the **QueryGrouping** option enabled.

5.3.1. Parameters

- **ListName:** the name of the list/library we want to delete permissions from. **If this is left empty, the permissions will be removed from the SharePoint Site instead**
- **FolderPath:** the folder inside the list/library we want to delete permissions from. **If this is left empty, the permissions will be removed directly from the list/library.**
 - This property can be used only if the ListName is not null
- **ListType:** this parameter needs to be used only when interacting with the permissions of a folder inside either a list or a library. It should be set to "Library" or "List" depending on the type of SharePoint collection we want to interact with.
- **Result:** an **out** argument of type `List<Tuple<string,string>>` which contains a full list with all the permissions on the specified SharePoint object
 - **if the entity that has this permission is a user** then the first value in each tuple **contains the full login name of the user (The full login name is a bit ugly but usually has an easily identifiable format!)**
 - **if the entity that has this permission is a group** then the first value in each tuple **contains the group's name**
 - the second value of each tuple contains the permissions name

Observation:

If an entity has multiple permissions, we will have a tuple for each one of them in the output list!

5.3.2. Example

Let's assume I want to display all the permissions my users have on the **Sales Items** folder in my **TestList**.

Below we can see the folder:

TestList

⊕ new item or edit this list


All Items	...	Find an item
✓	 Title	TestNumber
 Sales	...	Items

If I navigate to folders permission page, I can see there are plenty of permissions assigned to it (some inherited from the parent list and some assigned specifically to it, it doesn't matter, they will all be retrieved):


This folder has unique permissions.		
	Type	Permission Levels
  Name	User	Full Control, Contribute
  Lynne Robbins	User	Full Control, Contribute
  Megan Bowen	User	Full Control, Contribute
  Miriam Graham	User	Full Control, Contribute
  Nestor Wilke	User	Full Control, Contribute
  Patti Fernandez	User	Full Control, Contribute
  Pradeep Gupta	User	Full Control, Contribute
  Team Site Owners	SharePoint Group	Full Control
  TestGroupUsers	SharePoint Group	Full Control

Using the following workflow, I can Retrieve and display to the console all these permissions:


SharePoint Custom Activities Package



The arguments my Get Permissions activity will have are the following:



The Write Line will access the properties in each tuple the following way:



The console output will be:

SharePoint Custom Activities Package

' Login/Group Name: Team Site Owners and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|meganb@m365x475056.onmicrosoft.com and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|meganb@m365x475056.onmicrosoft.com and permissions: Contribute.
' Login/Group Name: i:0#.f|membership|pradeepg@m365x475056.onmicrosoft.com and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|pradeepg@m365x475056.onmicrosoft.com and permissions: Contribute.
' Login/Group Name: i:0#.f|membership|nestorw@m365x475056.onmicrosoft.com and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|nestorw@m365x475056.onmicrosoft.com and permissions: Contribute.
' Login/Group Name: i:0#.f|membership|lynner@m365x475056.onmicrosoft.com and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|lynner@m365x475056.onmicrosoft.com and permissions: Contribute.
' Login/Group Name: i:0#.f|membership|miriamg@m365x475056.onmicrosoft.com and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|miriamg@m365x475056.onmicrosoft.com and permissions: Contribute.
' Login/Group Name: i:0#.f|membership|pattif@m365x475056.onmicrosoft.com and permissions: Full Control.
' Login/Group Name: i:0#.f|membership|pattif@m365x475056.onmicrosoft.com and permissions: Contribute.
' Login/Group Name: Limited Access System Group and permissions: Limited Access.
' Login/Group Name: SharePointHome OrgLinks Admins and permissions: Limited Access.
' Login/Group Name: SharePointHome OrgLinks Editors and permissions: Limited Access.
' Login/Group Name: SharePointHome OrgLinks Viewers and permissions: Limited Access.
' Login/Group Name: TestGroupUsers and permissions: Full Control.
' Login/Group Name: TestGroupUsers and permissions: Limited Access.

6. Sign Out

When you need to sign out the current user, you can do so either by selecting the **“Reset Credentials”** checkbox in the SharePoint Application Scope activity (which logs out the current user before prompting a form for the user to introduce other credentials to use for login) or by using the Sign Out activity, which signs out the current user whenever you need it.

The activity should be used only in case you are signed in to a WebLogin SharePoint Instance! Signs out the current user! In case of Multifactor Authentication, the user might remain logged in for some time; if we need to log in a different user, we have to sign out the current one.

6.1. Parameters

- **URL:** The URL of the SharePoint site we want to sign out from
 - We need it because the activity clears the cache created for the URL when the user signed in (the cookies that keep the user logged in)
 - The activity doesn't need to be placed inside the SharePoint Application Scope, however the URL is mandatory when it is outside a Scope activity

7. Get Web Login User

Gets the current user in case you are signed into a **WebLogin SharePoint Instance**. For Multifactor Authentication, the user remains logged in for some time (unless you specifically sign it out), so it can be useful to check what user is currently logged in, in case you might need to sign them out.

7.1. Parameters

- **URL:** The URL of the SharePoint site our user is signed in
 - We need it because the activity checks the cache created for the URL when the user signed in (the cookies that keep the user logged in). If there are cookies exist, then we have a user logged in. If not, there is no user logged in and the activity will return a null object
 - The activity doesn't need to be placed inside the SharePoint Application Scope, however the URL is mandatory when it is outside a Scope activity
- **SharePointUser:** an **out** argument that returns a User object if we have a user logged in, or null otherwise

Query Grouping

The **QueryGrouping** option is a feature which allows the users to group up repetitive queries in batches, so that they are processed more efficiently. Instead of simply sending each query individually to the server and waiting for the response to be received, the scope activity just stores all the queries and sends them after all the children activities got executed resulting in a more efficient processing time.

However, this is only possible for the following activities: **AddListItem**, **AddPermission**, **RemovePermission**, **AddUserToGroup**, **CreateGroup**, **DeleteGroup**, **RemoveUserFromGroup**. For the rest of the activities it would either not make sense (it does not make sense to use the **Get List Items** activity in an async way since it would not be able to return the items, or the **EditListItems** activity since it only uses 1 query to update multiple items) or it is not possible since some activities require multiple queries executed one after another in order to perform one action.

As it was mentioned before, the QueryGrouping feature can be enabled by clicking the **QueryGrouping** Checkbox in the SharePoint Scope Activity:



Observation:

Depending on the size of the data we might try to send to the server at once, the request might receive the following exception: **"The request message is too big. The server does not allow messages larger than XXXXX bytes."**

In order to avoid that, for queries that send a large amount of data to the server, the number of queries inside a SharePoint Scope should be limited (a good example can be seen below).

If this feature is enabled and the user tries to add an activity that is not supported, a validation message will appear.

Example

Let's prepare a small example in which we need to add all the rows from an excel file to our SharePoint list (called **TestList**), assuming that our file has hundreds of rows, adding them one by one would take a lot of time so in order to speed up the creation of the list items, we will try to add them 100 at a time.

The list we'll add everything on:

TestList

[+ new item](#) or [edit this list](#)

	<input type="checkbox"/>	Title	TestNumber	TestChoice
	<input type="checkbox"/>	This item is now old.	232	Choice2
	<input type="checkbox"/>	This is a new item	222	Choice2
	<input type="checkbox"/>	Another new item!	222	Choice2

The contents of the excel file (in total 211 rows):

	A	B	C	D
1	Title	TestChoice	TestNumber	
2	New Item 1	Choice3		123
3	New Item 2	Choice2		123
4	New Item 3	Choice3		123
5	New Item 4	Choice1		123
6	New Item 5	Choice1		123
7	New Item 6	Choice2		123
8	New Item 7	Choice3		123
9	New Item 8	Choice1		123
10	New Item 9	Choice3		123
11	New Item 10	Choice2		123
12	New Item 11	Choice3		123
13	New Item 12	Choice1		123
14	New Item 13	Choice1		123

The full example with explanatory annotations can be found here (SharePoint Login Data removed, of course).




SharePoinQueryGroupingTest.zip

Prerequisites

- Have access to an instance of SharePoint and an account with all the necessary permissions. **You will not be able to use this package using your credentials to do any operations that you couldn't do on your SharePoint environment in the browser.**
- This solution might not work if your SharePoint instance is using a 3rd party Identity Provider.


Observations

- Make sure that when you are working on a SharePoint site **you use the correct URL** in the SharePoint scope and not the URL of a parent site and/or of a sub-site.
- Keep in mind that the **QueryGrouping** option is only available for some activities (mentioned previously). For any activity that has Out Arguments and it is used with the query grouping feature enabled, it will have those arguments return **null**.
- For all List Activities using list fields, we must reference these fields using their **Internal Name**, not their title (often enough, they are not the same). In order to obtain the internal name of a field open the list settings, click the field and look at the URL of the page, the internal name will be there:



- If you want to assign a value to field specific field for a list item, **first make sure that field exists inside your list** (otherwise create it).
- Since giving permissions to users directly is a bad practice, **we only allowed the assignation and removal of permissions to and from groups only. This package does not allow the assignation and/or removal of permissions from users directly!**
- **Each time you alter the permissions of an object, you will break the inheritance of permissions from its parent element. This means that if the permissions of the parent are changed, the changes will not be reflected on the original element.** Try to be careful of the scope of the permissions you assign and always assign permissions to the highest suitable scope.

- Some of the activities (GetAllUsersFromGroup, GetUser or some of the list items using more advanced data fields) can use types and classes that are specific to the **Microsoft.SharePoint.Client** if you are having issues with these types, please make sure that this namespace is added inside the imports Tab:



- We provided plenty of detailed examples so if you're having any issues using this package, make sure to consult the examples.
- If the metadata needs to be edited for Files, the **Update List Items** Activity can be used on the parent library!

Technical Approach

This package is mainly built using the **.NET Client Side Object Model (CSOM)** which contains a large number of object representing SharePoint objects which can be used in order to make changes and retrieve information from the SharePoint site. Since CSOM is very similar for all different types of SharePoint instances, we can use the same set of activities for both SharePoint Online and SharePoint OnPremises.

Another advantage is that we can choose the moment we send the queries created so far to the server, so in some cases we can group them up and send them together to the server, therefore increasing the efficiency of the package.

Additionally, CSOM can leverage the Collaborative Application Markup Language (CAML) which is a very powerful XML-based language that can be used to create extremely detailed and complex queries on SharePoint Lists. These queries greatly increase the versatility of the activities and the big advantage is that several 3rd party tools can be used to generate CAML queries without the user having any previous knowledge of this language.

In some places, the REST API of the SharePoint instance is used in order to download and/or upload documents in order to avoid issues regarding the size of documents.

In order for the package to offer the possibility of Multifactor Authentication Login, we are using **OfficeDevPnPCore**, which is the PnP Core Component of the CSOM Library, created by Microsoft and community members to offer CSOM extension methods for SharePoint.

Below you can find more info regarding:

1. CSOM and SharePoint REST API: <https://docs.microsoft.com/en-us/sharepoint/dev/sp-add-ins/sharepoint-net-server-csom-jsom-and-rest-api-index>

2. CAML: <https://docs.microsoft.com/en-us/sharepoint/dev/schema/collaborative-application-markup-language-caml-schemas>
3. SmartCAML (3rd party tool that can generate CAML query syntax): <https://www.microsoft.com/en-us/p/smartercaml/9nn8gjpnxvfg>
4. OfficeDevPnP (<https://docs.microsoft.com/en-us/dotnet/api/officedevpnp.core?view=sharepointpnpcoreonline-2.18.1709.0>)